

UNI SVC 4.2 **KW**

SOCKETS	
Socket-1* (Steam + Vacuum + Detergent)	√
Socket-2 (Steam Only)	√
Socket-3 (Steam Only)	
SOCKET CAPACITY (MAX)	
Socket-1	80-110 gr/min
Socket-2	80-110 gr/min
Socket-3	-
OTHER FEATURES	
Steam Production	110 gr/min
Colour	Stainless Steel
Control System	PLC
Start Up Ťime	5 min
Cabin Temperature Control	\checkmark
Cabin Cooling (Double Fan)	\checkmark
Automatic Filling System	✓
Automatic Filling System From Water Supply	
Water Tank Capacity (Liter)	12 L
Detergent Tank Capacity (Liter)	3 L
Waste Water Tank Capacity (Liter)	18 L
Boiler Material (AISI 304)	✓
Boiler Volume (Liter)	3.7 L
Voltage	230-250 V
Boiler Power	4.2 kW
Boiler Pressure - Temperature	10 Bar - 185 C°
Boiler Temperature Regulation	\checkmark
Pressure indicator	\checkmark
Weight (Machine Only)	35 kg
Vacuum Equipment Weight	8 kg
Vacuum Power	1200 W

Dimensions (without vacuum equipment) WxLxH (mm)

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18

vacuum feature is optional and can be added to the machines externally.

Dimensions (with vacuum equipment) WxLxH (mm)

Alert Signal

Certification

Power Cable Lenght

models. On SVC 27-48 models





490x650x770

5 m.

CE

490x650x1300

CONTACT

Steam - Vacuum Hose







2 Extension Pipe



Jet Nozzle









Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)







Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)











Rotating Nozzle Steam Hose and Gun









Industrial Steam Nozzle Options:

- 90 cm Industrial Steam Nozzle
- 70 cm Industrial Steam Nozzle
- 50 cm Industrial Steam Nozzle







40 cm Automatic Mop Apparatus





























UNI SVC 9 KW

TECHNICAL FEATURES
SOCKETS
Socket-1* (Steam + Vacuum + Detergent)
Socket-2 (Steam Only)
Socket-3 (Steam Only)
SOCKET CAPACITY (MAX)
Socket-1
Socket-2
Socket-3
OTHER FEATURES
Steam Production
Colour
Control System
Start Up Time
Cabin Temperature Control
Cabin Cooling (Double Fan)
Automatic Filling System
Automatic Filling System From Water Supply
Water Tank Capacity (Liter)
Detergent Tank Capacity (Liter)
Waste Water Tank Capacity (Liter)
Boiler Material (AISI 304)
Boiler Volume (Liter)
Voltage
Boiler Power
Boiler Pressure - Temperature
Boiler Temperature Regulation

Dimensions (with vacuum equipment) WxLxH (mm)

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18

vacuum feature is optional and can be added to the machines externally.

Pressure indicator

Vacuum Power Alert Signal

Certification

Weight (Machine Only)

Power Cable Lenght

Vacuum Equipment Weight

models. On SVC 27-48 models

SVC 9 230 gr/min 230 gr/min 235 gr/min Stainless Steel **PLC** 5 min Optional 18 L 5 L 18 L 7.8 L 380-400 V 9 kW 10 Bar - 185 C° 55 kg 8 kg 1200 W Dimensions (without vacuum equipment) WxLxH (mm) 580x830x840 580x830x1380 5 m. CE





CONTACT

Steam - Vacuum Hose







2 Extension Pipe



Jet Nozzle









Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)







Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)











Rotating Nozzle Steam Hose and Gun









Industrial Steam Nozzle Options:

- 90 cm Industrial Steam Nozzle
- 70 cm Industrial Steam Nozzle
- 50 cm Industrial Steam Nozzle







40 cm Automatic Mop Apparatus





























SVC 18

580x830x1380

5 m.

CE

UNI SVC 18 KW

SOCKETS Socket-1* (Steam + Vacuum + Detergent) Socket-2 (Steam Only) Socket-3 (Steam Only) SOCKET CAPACITY (MAX) Socket-1 230 gr/min Socket-2 310 gr/min Socket-3 OTHER FEATURES Steam Production 470 gr/min Stainless Steel Colour **Control System PLC** Start Up Time 5 min Cabin Temperature Control Cabin Cooling (Double Fan) Automatic Filling System
Automatic Filling System From Water Supply
Water Tank Capacity (Liter) Optional 18 L Detergent Tank Capacity (Liter) 5 L Waste Water Tank Capacity (Liter) 18 L Boiler Material (AISI 304) Boiler Volume (Liter) 7.8 L Voltage 380-400 V Boiler Power 18 kW 10 Bar - 185 C° Boiler Pressure - Temperature **Boiler Temperature Regulation** Pressure indicator 55 kg Weight (Machine Only) 8 kg 1200 W Vacuum Equipment Weight Vacuum Power Alert Signal Dimensions (without vacuum equipment) WxLxH (mm) 580x830x840

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18

vacuum feature is optional and can be added to the machines externally.

Dimensions (with vacuum equipment) WxLxH (mm)

Power Cable Lenght

models. On SVC 27-48 models

Certification

TECHNICAL FEATURES





CONTACT

Steam - Vacuum Hose







2 Extension Pipe



Jet Nozzle









Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)







Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)











Rotating Nozzle Steam Hose and Gun









Industrial Steam Nozzle Options:

- 90 cm Industrial Steam Nozzle
- 70 cm Industrial Steam Nozzle
- 50 cm Industrial Steam Nozzle







40 cm Automatic Mop Apparatus









Translucent Vacuum Apparatus

















UNI SVC 27 **KW**

TECHNICAL FEATURES

Socket-1* (Steam + Vacuum + Detergent)

Socket-2 (Steam Only) Socket-3 (Steam Only) SOCKET CAPACITY (MAX)

Socket-1 Socket-2 Socket-3

OTHER FEATURES Steam Production

Colour

Control System Start Up Time

Cabin Temperature Control Cabin Cooling (Double Fan) Automatic Filling System

Automatic Filling System From Water Supply

Water Tank Capacity (Liter) Detergent Tank Capacity (Liter) Waste Water Tank Capacity (Liter) Boiler Material (AISI 304) Boiler Volume (Liter)

Voltage **Boiler Power**

Boiler Pressure - Temperature **Boiler Temperature Regulation**

Pressure indicator Weight (Machine Only) Package Weight

Vacuum Equipment Weight

Vacuum Power Alert Signal

Dimensions (without vacuum equipment) WxLxH (mm) 660x930x1010 Dimensions (with vacuum equipment) WxLxH (mm)

Power Cable Lenght

Certification

SVC 27

Steam + Detergent

Optional

325 gr/min 325 gr/min 670 gr/min

700 gr/min Stainless Steel PLC (Touch Screen)

5 min

30 L 8 L 35 L

14.2 L 380-400 V 27 kW

10 Bar - 185 C°

118 kg 60 kg 17.2 kg 3600 W

660x930x1550 Optional

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18 models. On SVC 27-48 models

vacuum feature is optional and can be added to the machines externally.





CONTACT

Steam - Vacuum Hose







2 Extension Pipe



Jet Nozzle









Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)







Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)











Rotating Nozzle Steam Hose and Gun









Industrial Steam Nozzle Options:

- 90 cm Industrial Steam Nozzle
- 70 cm Industrial Steam Nozzle
- 50 cm Industrial Steam Nozzle







40 cm Automatic Mop Apparatus









Translucent Vacuum Apparatus



















UNI SVC 48 **KW**

TECHNICAL FEATURES

Socket-1* (Steam + Vacuum + Detergent)

Socket-2 (Steam Only) Socket-3 (Steam Only) SOCKET CAPACITY (MAX)

Socket-1 Socket-2 Socket-3

OTHER FEATURES

Steam Production

Colour

Control System Start Up Time

Cabin Temperature Control Cabin Cooling (Double Fan) Automatic Filling System

Automatic Filling System From Water Supply

Water Tank Capacity (Liter) Detergent Tank Capacity (Liter) Waste Water Tank Capacity (Liter) Boiler Material (AISI 304)

Boiler Volume (Liter) Voltage

Boiler Power

Boiler Pressure - Temperature **Boiler Temperature Regulation**

Pressure indicator Weight (Machine Only) Package Weight

Vacuum Equipment Weight

Vacuum Power Alert Signal

Dimensions (without vacuum equipment) WxLxH (mm) 660x930x1010 Dimensions (with vacuum equipment) WxLxH (mm)

Power Cable Lenght

Certification

SVC 48

Steam + Detergent

Optional

610 gr/min 610 gr/min 1220 gr/min

1250 gr/min Stainless Steel PLC (Touch Screen)

5 min

30 L 8 L 35 L

18.4 L 380-400 V 48 kW

10 Bar - 185 C°

118 kg 60 kg 17.2 kg 3600 W

660x930x1550 Optional

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18 models. On SVC 27-48 models

vacuum feature is optional and can be added to the machines externally.





CONTACT

Steam - Vacuum Hose







2 Extension Pipe



Jet Nozzle









Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)







Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)











Rotating Nozzle Steam Hose and Gun









Industrial Steam Nozzle Options:

- 90 cm Industrial Steam Nozzle
- 70 cm Industrial Steam Nozzle
- 50 cm Industrial Steam Nozzle







40 cm Automatic Mop Apparatus









Translucent Vacuum Apparatus















